



**The largest independent supplier  
to the fire trade**

**2020/21**

[jewelfiregroup.com](http://jewelfiregroup.com)

# E-Series Water Mist

Jewel Fire Group is committed to playing our part in shaping a greener future and we asked ourselves some fundamental questions:

- Q. How will small fires be extinguished in the future?
- Q. Why do users have to buy different types of extinguishers?
- Q. Can we put out the different fire types with just one extinguisher?

Our solution, the E-Series Water Mist extinguisher was the first multipurpose portable capable of extinguishing many classes of fire. Some key features and benefits: -

- Agent is de-ionized water with no additives.
- Multipurpose, safe to use on ABCEF classes of fire.
- Minimal collateral damage to goods and property in a real fire.
- Simplified training for users.
- Fine mist tested and free from Legionella.
- BSI, LPCB, MED approved.
- Lower costs for servicing and maintenance.

Much more on these pioneering extinguishers on pages 16 and 17.



## Contents

SERVICES	7
EXTINGUISHERS	15
ANCILLARIES	31
SERVICING TOOLS	47

# We are Jewel Fire Group.

The best products. The most knowledgeable people. Competitive pricing. Unrivalled customer service and after care. These are the standards we set ourselves and these are the standards you can rely on us to deliver.

## **Better control.**

Unlike many in the UK fire industry, we have our own exclusive manufacturing facilities in both the UK and Far East. This means we can respond to customer preferences and changes in demand with unrivalled speed and agility. It also means we have design flexibility and complete control of our supply chain – from sourcing our own high quality raw materials, through to manufacturing, boxing and shipping.

## **Better safety and performance.**

While we always ensure our pricing is as competitive as possible, our products are the best because we never compromise on safety and performance.

Although we are dedicated to producing quality products at competitive prices, we always ensure that safety and performance are not compromised. Take our foam extinguishers as an example, the foam that we use is manufactured in the UK and shipped to our factory in China. It contains corrosion resistance inhibitors which may not be present in foam extinguishers from some competitors.

## **Our quality ratings include:**

- ISO 9001:2008 approval
- Kitemark for the majority of the products we manufacture
- All of our new extinguishers are CE marked
- Many of our extinguishers are also MED approved

## **Better environmental support.**

We are committed to keeping people safer in a cleaner, greener and more environmentally conscious world. We demonstrate this commitment in a number of ways, including:

- Reducing the number of new CO<sub>2</sub> extinguishers entering the market through our industry-leading refurbishing programme, helping to reduce the overall carbon footprint.
- Collecting and disposing of old scrap extinguishers, ensuring their contents are dealt with in a safe manner and with the appropriate waste certification notes provided.
- Developing a new, multipurpose fire extinguisher range – our E-Series water mist – an innovative development pioneered by JFG and using just pure water as the agent (with no additives) to extinguish many classes of fire.

## **Better service.**


To ensure we understand your requirements and your preferences, we assign a named, personal account manager to each and every customer. It is our job to keep you totally satisfied, all of the time. So that is exactly what we do.

# Approvals

Jewel Fire Group has dedicated factories in the UK and the Far East giving control of its supply chains and providing industry leading approval standards for its extinguisher products.

The majority of our products are Kitemarked, we also hold additional LPCB approvals on our water mist range and the widest range of MED approved extinguishers in the UK.

**Our list of approvals include:**



KM 53836

**BSI Kitemark**

Benchmark standard for product quality



**C1094A  
C1094B  
LPCB**

Water Mist extinguishers




**BS EN3  
PORTABLE EXTINGUISHER  
MANUFACTURE**

**CE1266  
PED/CE**


Pressure Equipment Directive on all new extinguishers

**bsi.**



**0086/2020  
MED BSI**

Marine Equipment Directive



**0029/2020  
MED Apragaz  
Marine Equipment Directive**



**EH11 09 01 1070  
EH11 09 02 1070  
EH11 09 03 1070  
CNPP**

35KV Electrical Conductivity testing



**443469  
443470  
443471**

Euro Environmental  
Legionella testing for Water Mist extinguishers



## CASH FOR CANS

We offer cash equivalent for all aluminium 2kg & 5kg CO<sub>2</sub> cylinders as an alternative to our usual credit note system



Cash immediately loaded on to a prepaid award card in your name which can be used in millions of outlets

We also provide scrap disposal enabling removal of all your cylinders in one go

Help us to help you protect the environment, and make extra cash!

Don't Delay - Call Today!

01709 703223

[sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)

# SERVICES

---

Always looking to improve and expand the quality and range of the services we deliver, we aim to make your professional life more convenient, more environmentally supportive and more rewarding.

From our trade counter that provides easy and instant access to our complete product range, through our CO<sub>2</sub> refilling and extinguisher disposal services, to our Cash for Cans scheme and personalised extinguishers – our services are for your benefit.

For more information, please contact your personal account manager or our sales team on 01709 703223 or at [sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)

# Trade Counter

Our trade counter gives you convenient access to our complete product range of over 250 items – including our latest offers – whenever it suits you.

For local companies, you can avoid investing in stock that might not sell quickly – simply collect the items from our trade counter once you have sold them.

For companies based further away or operating nationally, you can arrange for your engineers who are working in our area to top up their van stock from our trade counter.

Whatever suits the way you work, one call or email to your Jewel Fire Group personal account manager or our sales team is all it takes to have your order ready and waiting for collection.

## Jewel Fire Group Ltd

Units A1-A3 Aldwarke Business Park  
Waddington Way, Rotherham, South Yorkshire S65 3SH

t: 01709 703223 f: 01709 543305

e: [sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)

**Opening times: We are open 08:30 - 17:00, Monday – Friday.**






Jewel Fire Group has a new 57000 sq ft site In Rotherham and a manufacturing site in the Far East.

The Rotherham site has a 25000 sq ft manufacturing and distribution building. There is also an 1800 sq ft building to facilitate Fire Testing. There is a large yard area for our scrap returns and disposal service.

Extensive Extinguisher Stocks are held in both standard and Customer personalised product.

We also have a dedicated production facility for new and refurbished carbon dioxide Extinguishers as well as our E Series Water Mist Extinguishers.



# CO<sub>2</sub> Refilling

We refill aluminium CO<sub>2</sub> extinguishers with a parallel valve for a minimal cost at our trade counter.

Our procedure is quick and simple:

Initial visual check on the cylinder, valve and handle to make sure everything is in safe, working order.

If anything is defective, we will explain why, then recommend a new part and inform you of the replacement cost

Second Inspection to check the valve torque and check the cylinder for leaks by filling with compressed air.

Cylinder refilled with CO<sub>2</sub> and ready for use

## Fast turnaround times

- Up to 10 units: while you wait
- 10-30 units: drop off before 10am and collect after 4pm
- Over 30 units: 2 working days



# Extinguisher collection and disposal

We all want to live in a safer, cleaner world – and both national and local government environmental requirements are becoming increasingly important. Our commitment to raising environmental standards across the industry includes our safe and responsible extinguisher collection and disposal service.

Taking away the hassle of removing your old scrap extinguishers and disposing of their contents in a safe manner, we collect and dispose of them for you. We can also provide you with the appropriate waste certification notes, enabling you to fulfil your own responsibilities.

## Our service features:

- Pallets or cages of scrap extinguishers collected
- Waste management certificate provided on request
- All types of extinguishers disposed of (Water, Foam, Wet Chemical, Powder, CO<sub>2</sub>), empty or full
- Other fire safety equipment disposed of on a POA basis

## Contact us for details

For more information, please contact your personal account manager or our sales team on **01709 703223** or at [sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)





## CASH FOR CANS SCHEME

Given that scrap merchants are no longer allowed to pay cash for scrap, our Cash for Cans scheme provides a simple, convenient, safe and rewarding alternative for disposing of CO<sub>2</sub> extinguishers.

We remove and dispose of your CO<sub>2</sub> extinguishers and credit the equivalent cash value to a pre-paid card in your name. This alternative to our credit note system enables you to simply receive cash credits on your card which you can then spend anywhere you see the Mastercard sign.



Don't Delay - Call Today!

01709 703223

[sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)



# PERSONALISED EXTINGUISHERS

Enabling you to promote your company on your customers' premises, we offer a personalisation service that brands your extinguishers with your company logo and other personalised information.

For more information, please contact your personal account manager or our sales team on 01709 703223 or at [www.jewelfiregroup.com](http://www.jewelfiregroup.com)



Don't Delay - Call Today!

01709 703223

[sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)



## PREMIUM CO<sub>2</sub> REFURBS

Industry leading CO<sub>2</sub> aluminium refurbished extinguishers using our 20 Step recycling process, restored as good as new. These are without doubt the best quality CO<sub>2</sub> refurbished extinguishers in the UK.

### Key Benefits

- 5 year warranty from date of manufacture
- Manufactured using high quality architectural standard paint and screen printed
- Recycling capability
- Aluminium cylinders - lighter than steel equivalent
- Refunds for return of cylinders at end of life (see Cash for Cans)
- Supplied with bracket and horns and boxed for safe transportation

Size	Fire Rating
2kg	34B
5kg	55B



Don't Delay - Call Today!

01709 703223

sales@jewelfiregroup.com

# EXTINGUISHERS

---

We manufacture and supply a wide range of high quality fire extinguishers. These span Water, Foam, Powder, Carbon Dioxide, Wet Chemicals, Special Powders for metal fires, stainless steel and our groundbreaking E-Series Water Mist range. Our extinguishers are manufactured to EN3, and hold the CE mark plus key approvals that include BSI Kitemark and LPCB.

For more information, please contact your personal account manager or our sales team on 01709 703223 or at [sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)

# E-Series Water Mist

**NEW!**



Unique to Jewel Fire Group, this revolutionary range uses de-ionized water with no additives whatsoever. Ideal for internal use, especially where footfall is high, this multipurpose extinguisher is safer to use, cleaner, more environmentally friendly and more cost-effective over the life cycle.

### Key benefits

- Multipurpose covering many classes of fire risk
- The fine mist has been tested over 5 years to be Legionella-free
- 3L and 6L red versions Marine Equipment Directive Approved
- Training is easier and simplified
- Minimal collateral damage in a real fire situation so downtime is reduced
- Exceptional at clearing smoke
- Lower costs for servicing, disposal of agents, training and downtime



Nozzle Detail



Hanging Bracket



KM 53836



C1094a  
C1094b



0086/2020



EH19 0210 1070  
EH11 09 02 1070  
EH11 09 03 1070



443469  
443470  
443471

Code	1.4WMX	3WMX	6WMX	6WMSX
Capacity	1.4L	3L	6L	6L
Fire Rating	5A 5F (8B)	8A 25F (13B)	13A 75F (21B)	13A 75F (21B)
Charged Weight	3.1Kg	6.7Kg	11.2Kg	9.0Kg
Operating Pressure	12 BAR	12 BAR	12 BAR	12 BAR
Height Of Ext.	402mm	525mm	585mm	595mm
Diameter	110mm	161mm	183mm	180mm
Discharge Time	15s	28s	50s	50s
Discharge Distance	1.5m	2.1m	2.6m	2.6m



# How the E-Series outperforms the alternatives



## Why is it safer than conventional extinguishers?

- Low Pressure.
- Longer Discharge times. Less noise.
- Multipurpose risk cover – ABCEF, reduces the risk of incorrect use
- Excellent at clearing smoke.
- Pure Water.
- No Additives.
- No breathing in of extinguisher gas, dust, chemicals.



## Why is it more environmentally friendly?

- All component parts are recyclable.
- Kills smoke quickly.
- Environmental legislation increasing.
- Reduce your carbon footprint.



## Why you can't ignore it?

- End users increasingly prioritising environmental issues.
- You can target new customers and new markets.
- Ideal for new buildings and new business start-up premises.

# Carbon Dioxide (CO<sub>2</sub>)



Carbon Dioxide extinguishers are mainly used to cover electrical risks and also can extinguish smaller flammable liquid fires. The gas is clean and common places for use include computer server rooms and offices. Jewel Fire Group Carbon Dioxide extinguishers are assembled in the UK and we supply the 2Kg with a frost-free safe horn and the 5Kg with hose and horn as standard.

### Key benefits

- 10 year warranty from date of manufacture
- Aluminium cylinders – lighter than steel equivalent and lower risk of corrosion
- 2Kg and 5Kg versions Marine Equipment Directive Approved
- Recycling Capability
- Refunds for return of cylinders at end of life (see Cash for Cans)
- Boxed for safe transportation

Code	2CX	5CX
Capacity	2Kg	5Kg
Fire Rating	34B	55B
Charged Weight	4.8Kg	10.8Kg
Operating Pressure	55 BAR	55 BAR
Height Of Ext.	517mm	670mm
Diameter	104mm	152mm
Width Of Ext.	180mm	200mm
Discharge Time	10s	15s
Discharge Distance	4-5m	4-5m



Horn detail



Hanging bracket



KM 53836



0086/2020

# Polished Aluminium CO<sub>2</sub>



Our superb polished CO<sub>2</sub> extinguisher, manufactured in the UK using polished aluminium and supplied with frost-free safe horn and bracket as standard. These are most often found in areas where aesthetic appearance and modern furnishings are increasingly important.

### Key benefits

- 5 year warranty
- Pleasing aesthetic appearance

Code	2CPX	5CPX
Capacity	2Kg	5Kg
Fire Rating	34B	55B
Charged Weight	5.0kg	11.2kg
Operating Pressure	55 bar	55 bar
Height Of Ext.	515mm	680mm
Diameter	117mm	152mm
Width Of Ext.	180mm	200mm
Discharge Time	10s	15s
Discharge Distance	4-5m	4-5m



Horn detail



Hanging bracket



## Premium CO<sub>2</sub> Refurbs

---



Superb industry leading CO<sub>2</sub> aluminium refurbished extinguishers using our 20 Step recycling process, restoring the original cylinders to as good as new. These are without doubt the best quality CO<sub>2</sub> refurbished extinguishers in the UK.

### Key benefits

- 5 year warranty from date of manufacture
- Manufactured using high quality architectural standard paint and screen printed
- Aluminium cylinders – lighter than steel equivalent and lower risk of corrosion
- Recycling capability
- Refunds for return of cylinders at end of life (see Cash for Cans)
- Supplied with bracket and horns and boxed for safe transportation

Code	2PRX	5PRX
Capacity	2Kg	5Kg
Fire Rating	34B	55B



# CO<sub>2</sub> Refurbs



Our high quality CO<sub>2</sub> aluminium refurbished extinguishers using our 20 Step recycling process restoring the original cylinders to as good as new. Frost-free horns for 2Kg and hose and horns for 5Kg can be bought separately.

### Key benefits

- Manufactured using high quality architectural standard paint
- Aluminium cylinders – lighter than steel equivalent and lower risk of corrosion
- Recycling capability
- Refunds for return of cylinders at end of life (see Cash for Cans)
- Boxed for safe transportation

Code	Description
2SLRX	2Kg Slim
2SQRX	2Kg Squat
CDSH	2Kg Standard CO <sub>2</sub> Horn
CDFFH	2Kg Frost-Free CO <sub>2</sub> Horn
5RX	5Kg
CDHH	5Kg Hose & Horn



# Water



Our tried and tested Water fire extinguishers include both the 6L (complete with spray nozzle) and the 9L (Jet Nozzle only). Water extinguishers are very popular for indoor use to fight Class A type fires without additional chemicals or additives. The water can freeze in low temperatures during winter so if used outside should ideally be stored in cabinets to protect against the elements.

## Key benefits

- 5 year warranty
- Marine Equipment Directive Approved on 9L version
- 6L version has passed the 35kv electrical conductivity test

Code	6WX	9WX
Capacity	6L	9L
Fire Rating	13A	21A
Charged Weight	9.3Kg	13.5Kg
Operating Pressure	12 BAR	12 BAR
Discharge Time	31s	55s
Height Of Ext.	520mm	580mm
Diameter	161mm	183mm
Width Of Ext.	181mm	193mm
Discharge Distance	5-6m	5-6m



6L Spray Nozzle



9L Jet Nozzle



Hanging Bracket



KM 53836



0029/2020



EH11 09 01 1070  
EH11 09 02 1070  
EH11 09 03 1070

# Aqua Spray (Hydro-Spray/ Water Additive)



Our Aqua Spray fire extinguishers can sometimes be referred to as Hydro Spray or Water Additive and are available in both in 3L and 6L versions. Smaller and lighter than the 9L Water extinguisher they contain additives to improve fire ratings and performance.

### Key benefits

- 5 year warranty
- Both versions have passed the 35kv electrical conductivity test

Code	3WAX	6WAX
Capacity	3L	6L
Fire Rating	13A	21A
Charged Weight	5.5Kg	9.3Kg
Operating Pressure	12 BAR	12 BAR
Height Of Ext.	435mm	520mm
Width Of Ext.	170mm	181mm
Diameter	140mm	161mm
Discharge Time	22s	31s
Discharge Distance	5-6m	5-6m



Hanging Bracket



Nozzle Detail



KM 53836



EH11 09 01 1070  
EH11 09 02 1070  
EH11 09 03 1070

# Foam



Foam extinguishers are primarily designed for use on flammable liquid fires but can also be used on solid combustibles. The smaller units are ideal for inside the home or in cars and transport vehicles while the larger units are more often used in offices, shops, warehouses and factories. Our Foam range includes a 6L high performance version with an improved fire rating.

## Key benefits

- 5 year warranty
- Unlike some of our competitors we use a UK manufactured foam which includes special corrosion inhibitors and is free from both PFOS and PFOA
- All except 1L version have passed the 35kv electrical conductivity test
- 6L version available in standard and high performance
- 6L and 9L versions are Marine Equipment Directive Approved



Hanging Bracket



Nozzle Detail



KM 53836



0029/2020



EH11 09 01 1070  
EH11 09 02 1070  
EH11 09 03 1070

Code	1FX	2FX	3FX	6FX	6FHPX	9FX
Capacity	1L	2L	3L	6L	6L	9L
Fire Rating	5A 21B	8A 55B	13A 70B	21A 144B	27A 183B	27A 183B
Charged Weight	2Kg	3.6Kg	5.5Kg	9.4Kg	9.4Kg	13.9Kg
Operating Pressure	12 BAR	12 BAR	12 BAR	12 BAR	12 BAR	12 BAR
Height Of Ext.	340mm	395mm	480mm	520mm	520mm	580mm
Diameter	85mm	110mm	140mm	161mm	161mm	183mm
Width Of Ext.	119mm	155mm	170mm	180mm	180mm	193mm
Discharge Time	10s	10s	14s	19s	19s	30s
Discharge Distance	4m	5m	6m	6m	6m	7m



# Powder



Powder extinguishers cover many fire risks including solid combustibles, flammable liquids, flammable gases and electrical. They should not be used indoors unless a risk assessment has been undertaken and their usage has been specifically recommended for certain indoor areas. They are ideal for use outdoors and unlike water based extinguishers the powder can withstand the lower temperatures in winter.

### Key benefits

- 5 year warranty
- 1Kg, 2Kg, 4Kg, 6Kg & 9Kg versions are Marine Equipment Directive approved
- 3Kg slimline version supplied with transport bracket as standard



Hanging Bracket



Nozzle Detail



KM 53836



0029/2020

Code	1PX	2PX	3SLPX	4PX	6PX	9PX
Capacity	1Kg	2Kg	3Kg	4Kg	6Kg	9Kg
Fire Rating	8A 34B	13A 70B	13A 55B	21A 113B	27A 144B	43A 233B
Charged Weight	2Kg	3.6Kg	4.8Kg	6.8Kg	9.4Kg	13.9Kg
Operating Pressure	14 BAR	14 BAR	14BAR	14 BAR	14 BAR	14 BAR
Height Of Ext.	340mm	395mm	490mm	480mm	520mm	580mm
Diameter	85mm	110mm	110mm	140mm	161mm	183mm
Width Of Ext.	119mm	155mm	170mm	180mm	180mm	193mm
Discharge Time	10s	10s	16s	14s	19s	30s
Discharge Distance	4m	5m	5m	6m	6m	7m

# Specialist Powder



Specialist Powder extinguishers are for use on combustible metal fires Class D, which can often reach high temperatures. They are mainly used in industry where metals such as lithium or magnesium cause fires.

### Key benefits

- 5 year warranty
- Supplied with lance for safer discharge

Code	8M28X	8L2X	8MX
Description	M28	L2	Monnex
Capacity	8Kg	8Kg	8Kg
Charged Weight*	12.7Kg	13.8Kg	13.8Kg
Operating Pressure	14 BAR	14 BAR	14 BAR
Height Of Ext.	875mm	875mm	585mm
Width Of Ext.	300mm	300mm	245mm

\* All weights shown include lance or hose fitted



Hanging Bracket



Nozzle Detail

# Wet Chemical



Wet Chemical extinguishers have been specifically designed to fight Class F type fires for burning oils and greases in kitchens. They can also be used on solid combustible fires. We manufacture two sizes – the 3L version which can be used in smaller kitchens and mobile food outlets and the 6L with better performance for larger commercial kitchens.

### Key benefits

- 5 year warranty
- 6L version Marine Equipment Directive Approved
- Applicator lance for safer extinguishing, supplied as standard



Code	3WCX	6WCX
Capacity	3L	6L
Fire Rating	8A 25F	13A 75F
Charged Weight	5.6Kg	9.5Kg
Operating Pressure	12 BAR	12 BAR
Height Of Ext.	670mm	680mm
Diameter	140mm	161mm
Width Of Ext.	170mm	181mm
Discharge Time	32s	60s
Discharge Distance	1m	1m



Hanging Bracket



Nozzle Detail



KM 53836



0029/2020

# Stainless Steel Water



Increasingly popular for use to complement modern furnishings, our 6L and 9L Stainless Steel Water extinguishers are supplied with a bracket as standard.

### Key benefits

- 5 year warranty
- Pleasing aesthetic appearance

Code	6WSX	9WSX
Capacity	6L	9L
Fire Rating	13A	21A
Charged Weight	9.4Kg	13.9Kg
Operating Pressure	12 BAR	12 BAR
Height Of Ext.	570mm	625mm
Width Of Ext.	180mm	193mm
Discharge Time	25s	55s
Discharge Distance	5-6m	6m



Hanging Bracket



BS EN3  
PORTABLE EXTINGUISHER  
MANUFACTURE

CE1266

# Stainless Steel Foam



Our 6L Stainless Steel Foam extinguisher is ideal for those who place great value on combining their overall look and image with their requirements and obligations to be safe.

### Key benefits

- 5 year warranty
- Pleasing aesthetic appearance

Code	6FSX
Capacity	6L
Fire Rating	13A 144B
Charged Weight	9.4Kg
Operating Pressure	12 BAR
Height Of Ext.	625mm
Diameter	161mm
Width Of Ext.	180mm
Discharge Time	19s
Discharge Distance	6m



Hanging Bracket



BS EN  
PORTABLE EXTINGUISHER  
MANUFACTURE

CE1266



## MOBILE FIRE POINT

Our mobile fire points made up with a range of products. These are primarily designed for use on construction sites, petrol forecourts and large factories.

Products can be bought individually or in bundles so please let us know what you need when you make your enquiry.



Don't Delay - Call Today!

01709 703223

[sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)

# ANCILLARIES

---

Our extensive range of ancillary products includes fire blankets, fittings and brackets, safety pins, tamper seals and extinguisher accessories.

For more information, please contact your personal account manager or our sales team on 01709 703223 or at [sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)

## Synergy-RF Base Station

---

- Category 1 radio module
- Independently tested to ETSI-300-220-1
- CE, RoHS, EMC & RED Compliant
- 25m Bright LED display unit
- Scratch resistant UV Decals
- Status LED
- 85dB Buzzer
- 40 Addressable Devices
- Automatic battery low indication
- Completely wireless operation
- "Plug and Play" simple self-installation
- Low maintenance costs
- Silent range test facility
- IP55 Enclosure



**NEW!**

## Synergy-RF Call Point

---

- Category 1 radio module
- Independently tested to ETSI-300-220-1
- CE, RoHS, EMC & RED Compliant
- 108dB Sounder and LED strobe
- Scratch resistant UV Decals
- Status LED
- 40 Addressable Devices
- Automatic battery low indication
- Completely wireless operation
- "Plug and Play" simple self-installation
- Low maintenance costs
- Silent range test facility
- IP55 Enclosure



**NEW!**



## Evacuator Site Master Push Button

---

- Easy Cable Free Installation
- Push Button Activated
- IP55 rated
- 110db Output
- 9v PP3 Battery Supplied
- Combined Sounder Strobe
- Link Up to 25 units using Bell Wire
- CE & LVD Approved
- Low maintenance costs



**NEW!**

## Evacuator Site Master Break Glass

---

- Easy Cable Free Installation
- Call Point Activated
- Resettable Call Point
- Call Point Key Supplied
- IP55 rated
- 110db Output
- 9v PP3 Battery Supplied
- Combined Sounder Strobe
- Link Up to 25 units using Bell Wire
- CE & LVD Approved
- Low maintenance costs



**NEW!**

## Rotary Hand Bell

A popular manual hand operated alarm bell weighing 1.5Kg that is most suitable for large warehouses and construction sites where it is usually attached to mobile trolleys and contractor stands.

### Key benefits

- Robust design die-cast aluminium base plate and dome
- Pre-drilled flange for simple installation
- Bell sounds 60db alarm at up to 35 metres

Code
RHB



## Fire Blankets

Fire Blankets are suitable for use in kitchens, they are also effective on clothing and waste paper bins. Our Fire Blankets are made from silicon coated fibreglass with a Kevlar anti-fray helm.

### Key Benefits

- 5 year cloth warranty
- Kitemarked to BSEN:1869
- Wall-mounted and easy to fit

Code	Size
FB1	1.0m x 1.0m
FB12	1.2m x 1.2m
FB1218	1.2m x 1.8m
FB1818	1.8m x 1.8m



## Bases

Replacement bases for Jewel Fire Group extinguishers only.

Code	Size
BAS3	3Kg/3L
BAS4	4Kg/4L
BAS6	6Kg/6L
BAS9	9Kg/9L



## Contractor Stands

A super strength steel backboard fire point stand used primarily on construction sites or petrol forecourts.

### Key Benefits

- Supplied with wheels as standard
- Capable of holding 3 fire extinguishers
- Steel backboard with epoxy finish making it resilient to harsh weather conditions
- Signs and alarms can be attached to stand

Code	CS
Description	Contractor Stand
Height	1800mm
Width	730mm
Depth	430mm



## GRP Stands

GRP Fibreglass Stands that are available in single and double capacities. Ideal for the more cost-conscious customers for construction sites and outside workplaces where the elements can be much harsher than internal environments.

### Key Benefits

- Easy to clean
- Available in Red
- Can hold one or two extinguishers and ID signs to suit



Code	SGRPS	DGRPS
Description	Single	Double
Height	708mm	708mm
Width	295mm	600mm
Depth	300mm	300mm
Weight	1Kg	2Kg

## Rigid Plastic Stands

Rigid plastic stands made from 2 part vacuum formed high impact plastics and available in single and double capacities. Ideal for indoor use in most workplaces.

### Key Benefits

- Easy to clean
- Available in Red or Grey colour
- Fully recyclable materials used
- Has grooves for holding 2Kg CO<sub>2</sub> up to 9Kg extinguishers



Code	SCS	DCS
Description	Single Composite Stand	Double Composite Stand
Height	760mm	760mm
Width	294mm	559mm
Depth	267mm	267mm

## Rotationally Moulded Stands

Robust and hard wearing rotationally moulded fire extinguisher stands that are available in single and double capacities. Ideal for offices, shops and workplaces where customers do not have space or want to hang the extinguishers and signs on the wall.

### Key Benefits

- Made from high quality polymer plastic
- Available in Red and Grey colours
- Can hold most fire extinguisher types and ID signs to suit



Code	SRMS	DRMS
Description	Single	Double
Height	708mm	708mm
Width	295mm	600mm
Depth	300mm	300mm
Weight	2Kg	4.5Kg

## Tubular Steel Stands

Our elegantly crafted tubular steel stands are available in single and double capacities. Ideal for those customers that require a prestige fire point to blend in with more modern surroundings.

### Key Benefits

- Easy to clean
- Available in Red or Chrome finish
- Can hold one or two extinguishers
- Sign clips with adhesive pads for ID signs sold separately



Code	SRS	DRS	SCHS	DCHS
Description	Red Single	Red Double	Chrome Single	Chrome Double
Height	710mm	710mm	710mm	710mm
Width	320mm	510mm	320mm	510mm
Depth	300mm	300mm	300mm	300mm
Weight	1.2Kg	3Kg	1.2Kg	3Kg

## Modular Stand

This superb modern design allows the stand to be bought in a flatpack status for easy assembly. Multiple units can then be made into doubles, triples or quadruples depending on customer needs.

### Key Benefits

- Flatpack Modular Design
- Recyclable Material.
- Multiple Units for easy transportation.

Code	MS0D1
Description	Single Modular Stand
Height	670mm
Width	290mm
Depth	260mm



## Two Part Stands / Transport Boxes

High Quality Rotationally Moulded Two Part Stands and Transport Boxes for the Haulage Industry

### Key Benefits

- Rotationally Moulded Plastic Stands
- Flat Pack for Easy Transportation
- Top Loading Transport Boxes



Code	EXSTAND01	EXSTAND02
Description	Single Two Part Stand	Double Two Part Stand
Height	645mm	645mm
Width	290mm	500mm
Depth	300mm	300mm

Code	TLB01	TLB02
Description	6kg Top Loading Box	9kg Top Loading Box
Height	650mm	750mm
Width	260mm	300mm
Depth	275mm	300mm

## Mounting Backboards

Plastic break glass key box. Manufactured from durable Red plastic with a clear ABS plastic panel.



Code	Description
MBR	Red
MBU	Unvarnished

## Extinguisher Trolleys

Fire extinguisher trolleys are available in single double and triple forms and are manufactured from high strength steel. They are ideal where a mobile fire extinguisher call point is required in large warehouses and factories.

### Key Benefits

- Supplied with solid rubber wheels as standard
- Rotary Hand Bell can be attached. Sold separately
- They can hold up to three fire extinguishers

Code	ST	DT	TT
Description	Single Trolley	Double Trolley	Triple Trolley
Height	1170mm	1120mm	1160mm
Width	380mm	480mm	760mm
Depth	350mm	380mm	340mm
Wheel Diameter	205mm	205mm	205mm



## Extinguisher Cabinets

Designed to offer added protection for fire extinguishers often outdoors these cabinets are constructed using a high impact plastic which is also corrosion resistant.

### Key Benefits

- Supplied with adjustable internal extinguisher straps
- Suitable for wall, floor, post and vehicle mounting
- Polypropylene vision panels for two viewing windows

Code	SC	DC
Description	Single Cabinet	Double Cabinet
Internal Height	620mm	620mm
Internal Width	260mm	505mm
Internal Depth	200mm	205mm
External Height	810mm	810mm
External Width	325mm	600mm
External Depth	270mm	270mm



## Transport Brackets

A range of transport vehicle brackets to suit extinguishers from 2Kg and 5Kg CO<sub>2</sub> up to 9L/9Kg for Water Foam and Powder.

### Key Benefits

- Solid steel construction
- Supplied with rubber sheaths to protect the extinguisher from damage during transportation
- Includes adjustable nylon straps with plastic clips to ensure a safe fit to the extinguisher



Code	UTB	HDTB	CD2TB	CD5TB
Description	Universal	Heavy Duty	2Kg CO <sub>2</sub>	5Kg CO <sub>2</sub>
Height	230mm	465mm	155mm	268mm
Width	140mm	134mm	128mm	145mm
Depth	40mm	140mm	45mm	55mm

## CO<sub>2</sub> T Brackets

Easily mountable mild steel bracket supplied to hold a 2kg and 5kg CO<sub>2</sub> extinguisher.

### Key Benefits

- Solid Steel construction.
- Zinc plated for aesthetic appearance.
- Supplied with plastic cradle to protect the extinguisher from damage



Code	Size
CD2BRT	2Kg
CD5BRT	5Kg



# CO<sub>2</sub> Lug Brackets

---

Steel lug brackets available in 2Kg and 5Kg sizes for CO<sub>2</sub> extinguishers.

## Key Benefits

- Solid Steel Construction
- Plastic bracket for anti-magnetic extinguishers also available

Code	Size
CD2LB	2Kg
CD5LB	5Kg
CD2AMB	2Kg Anti-Magnetic



## Fire Bucket

---

Plastic 'D' shaped fire bucket with lid. 10L Capacity. Designed to fit on Jewel Fire Group trolleys.

Code
FB



## Panic Bolt

---

Cast aluminium panic bolt/door latch. Supplied with all fixings. Replacement tubes supplied separately.

Code
RPB



## Fire Extinguisher Covers

---

Tough plastic covers with clear front and velcro fastening for easy removal. Available in small or large.

Code	Description
SXC	Small Fire Extinguisher Cover
MXC	Medium Fire Extinguisher Cover
LXC	Large Fire Extinguisher Cover



## Key Box

---

Plastic break glass key box. Manufactured from durable red plastic with a clear ABS plastic panel.

Code
BGKBP



## Tamper Seals


---

Highest quality tamper seals using rubberised plastic to ensure the specific break force standard while at the same time are kind to the user's hands helping to avoid unnecessary cuts that cause so much misery to service engineers especially.

### Key benefits

- Available in Yellow, Green, Red, White, Orange, Blue and Grey
- Supplied in boxes of 1000

Code	Description
TSY	Yellow
TSG	Green
TSR	Red
TSW	White
TSO	Orange
TSB	Blue
TSGREY	Grey



## Pin End Caps

---

Plastic pin end caps are used to secure the safety pins of Jewel Fire Group extinguishers.

### Key benefits

- Available in Yellow, Green, Red, White, Orange, Blue and Grey
- Supplied in quantities of 100

Code	Description
PECY	Yellow
PECG	Green
PECR	Red
PECW	White
PECO	Orange
PECB	Blue
PECGREY	Grey



# Safety Pins

Code	Diameter	For Use on
SP37	3.7mm	Jewel Fire Group (not CO <sub>2</sub> )
SP66	6.0mm	Gloria
SP638	3.8mm	Gloria
SPCD2PR	3.8mm	Jewel Fire Group CO <sub>2</sub>
SP275	2.75mm	Most Extinguishers
SP0K*	5mm	Chubb

\*Denotes the colour required of the OK indicator



## Fire Logbook

Fire logbook covering a number of important fire safety areas to give a comprehensive overview of fire safety in your business. A useful aid to meeting your legal requirements to manage and maintain a safe working environment.

### Key benefits

- Easy to use format covering key areas
- Available in A5 format
- Keeps fire safety information in one place

Code
FL



## Gauge Dots

Used to verify that an extinguisher has been inspected and serviced annually gauge dots change colour with the change of year. Sold in rolls of 1000 in a variety of different colours these are a must have for fire extinguisher engineers.

### Key benefits

- Available in Yellow, Green, Red, White, Orange, Blue and Clear
- Supplied in box for extra protection to avoid damage



Code	Description
GDY	Yellow
GDG	Green
GDR	Red
GDW	White
GDO	Orange
GDB	Blue
GDC	Clear



# ENGINEER TOOL KIT

## V-CLAMP

Solid steel construction V Clamp.  
A great solution for gripping an extinguisher while removing the valve.



## PRESSURE GAUGE TESTER

Traditional gauge tester for use with gauges incorporating holes to allow pressure blow.



## EXTINGUISHER PRESSURISING BAR

Pressurising extinguishers. Available for Jewel extinguishers.



## NITROGEN REGULATOR & HOSE

Regulator with 25mm quick fit adaptor. Supplied with schrader fitting and hose tested to 200 BAR.



Product Code: ESTK

## DISCOUNTED PRICE FOR COMPLETE PACKAGE

## MAINTENANCE LABELS

Vinyl labels available in rolls of 1,000. Personalised to your requirements.



## FILLING ADAPTERS

Brass fittings set for pressurising most extinguishers. E-series filling adapter available separately.



## JEWEL SAFFIRE SERVICE SPANNER

Our headcap removal spanner is the perfect tool for the job.



## DIGITAL SCALE

Mains and battery powered plinth style digital scale. 60kg capacity 0.01kg increments. Auto battery save feature.



## SPRING BALANCES

Ideal lightweight analogue scales for weighing fire extinguishers



Don't Delay - Call Today!

01709 703223

sales@jewelfiregroup.com

# SERVICING TOOLS

---

Our range of servicing tools enable you to refill, re-pressurise and service most type of extinguisher.

For more information, please contact your personal account manager or our sales team on 01709 703223 or at [sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)

## Valve Head Caps

Replacement valve head caps suitable for Jewel Fire Group extinguishers only.

Code	Description
VAL1	1Kg/1L
VAL29	2-9Kg/2-9L



## Gauges


Extinguisher pressure gauges for use in Jewel Fire Group valves only.

Code	Description
GAU12	All wet agent extinguishers
GAU14	Powder extinguishers only



## O-Rings

A range of fire extinguisher O-Rings available from stock and supplied in bags of 50.



Code	Outer Dim.	Inner Dim.	Thickness	For use on
JHCOR1	26mm	18mm	4mm	Jewel Headcap 1Kg
JHCOR29	33mm	27mm	3mm	Jewel Headcap 2Kg
JHOR	14mm	10mm	2mm	Jewel Hose
CDSHOR	11mm	8mm	1.5mm	CO <sub>2</sub> Swivel Horn
CD2NW	7mm	11mm	3mm	CO <sub>2</sub> Nylon Washer
CD5NW	17mm	11mm	3mm	5Kg CO <sub>2</sub> Hose and Horn Washer
CD2HW	18mm	12mm	3mm	CO <sub>2</sub> Horn Washer
CHHCOR	54mm	47mm	3.5mm	Chubb Headcap
CHOR	15mm	11mm	2mm	Chubb Hose
GWHCOR	32mm	26mm	3mm	Gloria Water Headcap
GPHCOR	36mm	28mm	4mm	Gloria Powder Headcap



## Service Spanner

---

Our Jewel Fire Group headcap removal spanner is the perfect tool for removing our extinguisher headcaps. Gripping the valve in 2 places reduces strain on the valve itself, allowing easy removal.

Code
JSS



## V-Clamp

---

Made out of solid steel an easy to use solution for gripping an extinguisher while at the same time removing the valve head cap.

Code
VC



# Pressurising Bar

Tough brass threaded tool bars for repressurising fire extinguishers.



Code	Description
EPB1	Jewel
EPB2	Thomas Glover
EPB3	Gloria

# Maintenance Labels

Fire extinguisher maintenance labels personalised to your requirements showing your company name and contact details. These are made out of vinyl and are sold in rolls of 1000.

Code
VL

**FIRE EXTINGUISHER  
MAINTENANCE RECORD**

THIS EXTINGUISHER IS SERVICED AND MAINTAINED IN ACCORDANCE WITH THE RECOMMENDATIONS AND FREQUENCIES OF BRITISH STANDARD 5306 PART 3 AND REPELLED WHEN REQUIRED TO BS5663 PART 1 AND FUTURE AMENDMENTS.

YEAR	MONTH	COMMENTS	NSD	WEIGHT	ENG.

**CODES**

R - REFILLED  
 B - BASIC SERVICE  
 E - EXTENDED SERVICE  
 O - OVERHAUL  
 AR - ADVISED REPLACEMENT  
 NSD - NEXT SERVICE DUE  
 WEIGHT - EXTINGUISHER OR CARTRIDGE (DELETE AS APPLICABLE)

**NEXT TEST**

DISCHARGE DUE

LAST TEST

DISCHARGED

## Spring Balances

---

A range of lightweight analogue scales for weighting individual fire extinguishers.

Code	Size
SB1	1Kg
SB2	2Kg
SB5	5Kg
SB25	25Kg




## Digital Scale

---

A mains and battery powered digital scale with a 60Kg capacity and 0.01Kg increments. This unit also comes with an auto battery save feature.

Code
DS60



## Filling Adapters

---

A brass adaptor fitting set for use in pressurising most extinguishers. Our E-Series Water Mist adaptor is also available and supplied separately.

Code	Description
BAK	Brass Adaptor Kit
WMAK	E-Series Water Mist filling adaptor



## Pressure Gauge Tester

---

Traditional gauge tester for use with gauges incorporating holes to allow pressure blow.

Code
PGT



## Nitrogen Regulator & Hose

---

A nitrogen regulator with a 25mm quick fit adaptor and also complete with a Schrader fitting and hose that has been tested to 200 bar pressures.

Code	NRH
Entry	Bottom
Inlet (Bar)	230
Outlet (Bar)	28
Flow Rate (m/hour)	33



## CO<sub>2</sub> Discharge Horns

Discharge horns for 2Kg Carbon Dioxide extinguishers. These are available in three types as Frost-Free, Standard and Anti-Magnetic.

Code	Description
CDSH	Standard Horn
CDFFH	Frost Free Horn
CDAMH	Anti-Magnetic Horn



## CO<sub>2</sub> Hose & Horn

Discharge hose and horn exclusively for 5Kg Carbon Dioxide extinguishers.

Code
CDHH



## Hose Assemblies

Replacement hose and nozzle assemblies for Jewel Fire Group Extinguishers only.

Code	Description
WHA (6-9)	Water Hose and Nozzle Assembly
PHA (3-9)	Powder Hose and Nozzle Assembly
FHA (3-9)	Foam Hose and Nozzle Assembly
WMHA (6-9)	E-Series Water Mist Hose and Nozzle Assembly



Water



Water Mist



Foam & Water Additive



Powder

## Wet Chemical Hose

---

Discharge hose and lance assembly for our 3L and 6L Wet Chemical extinguishers.

Code
WCHL



## D-Class Powder Lance

---

Discharge hose and lance assembly for our D-Class Powder range - 690mm long.

Code
DCPL



## Dip Tubes

---

Replacement Dip Tubes for Jewel Fire Group extinguishers.

Code	Description
DTP (1-9)	Powder Dip Tube
DTFW (1-9)	Foam/Water Dip Tube
DTCD (2-5)	CO <sub>2</sub> Dip Tube



## E-Series Water Mist Refills

De-ionized water refills designed for refilling our Water Mist extinguishers. Available in 1L and 5L containers.

Code	Description
EWMR1	1L Water Mist Refill
EWMR5	5L Water Mist Refill



## High Performance Foam Refill

Refill for our 27A rated 6L high performance foam extinguisher.

Code
HPFR



## Water Additive Refills

Refills for our 3L and 6L water additive extinguishers.

Code	Description
3WAR	3L Water Additive Refill
6WAR	6L Water Additive Refill



## Freezol

A Freezol additive that will prevent extinguishers from freezing in winter. This is supplied in containers to use in 6L and 9L extinguishers or in a 20L drum.

Code	Description
FR6	for 6L extinguisher
FR9	for 9L extinguisher
FR20	20L Drum



## Foam Refills

6% AFFF Foam specifically designed to refill Jewel Fire Group foam extinguishers.

This is supplied in containers to use in 3L, 6L and 9L extinguishers or in a 20L drum.

Code	Description
3FR	for 3L extinguisher
6FR	for 6L extinguisher
9FR	for 9L extinguisher
20FR	20L drum



## Wet Chemical Refills

Wet Chemical refills specifically designed for refilling Jewel Fire Group 3L and 6L Wet Chemical extinguishers.

Code	Description
3WCR	3L Wet Chemical refill
6WCR	6L Wet Chemical refill





## Specialist Powder

---

Specialist powder for use in our D Class fire extinguisher range.

Code	Description
30L2	30Kg L2 Powder Bag
25MOP	25Kg Monnex Powder Bag
25M28	25Kg M28 Powder Bag



## ABC Powder

---

1Kg ABC 40 Powder for use in Jewel Fire Group powder extinguishers and supplied individually.

Code
1DPR



## First Aid Kits

The essential range of boxes are ideal where robust and durable containers are required. Available for 10, 20 or 50 persons.

Code	Description
10FA	10 Person First Aid kit
20FA	20 Person First Aid Kit
50FA	50 Person First Aid Kit



## HSE Law Poster

Health & Safety Law poster. Rigid plastic.

Code
HSEP



## Accident Report Book

HSE Accident Report Book.

Code
ARB



## Fire Exit Sign



Description	Code
Rigid 400mm x 150mm	FEAURR
Vinyl 400mm x 150mm	FEAURV
Photoluminescent 400mm x 150mm	FEAURP

## Fire Exit Sign



Description	Code
Rigid 400mm x 150mm	FEAULR
Vinyl 400mm x 150mm	FEAULV
Photoluminescent 400mm x 150mm	FEAULP

## Fire Exit Sign



Description	Code
Rigid 400mm x 150mm	FEALR
Vinyl 400mm x 150mm	FEALV
Photoluminescent 400mm x 150mm	FEALP

## Fire Exit Sign



Description	Code
Rigid 400mm x 150mm	FEARR
Vinyl 400mm x 150mm	FEARV
Photoluminescent 400mm x 150mm	FEARP

## Fire Exit Sign



Description	Code
Rigid 400mm x 150mm	FEAUR
Vinyl 400mm x 150mm	FEAUV
Photoluminescent 400mm x 150mm	FEAUP

## Fire Exit Sign



Description	Code
Rigid 400mm x 150mm	FEADR
Vinyl 400mm x 150mm	FEADV
Photoluminescent 400mm x 150mm	FEADP

## Fire Exit Sign



Description	Code
Rigid 400mm x 150mm	FEADRR
Vinyl 400mm x 150mm	FEADRV
Photoluminescent 400mm x 150mm	FEADRP

## Fire Exit Sign



Description	Code
Rigid 400mm x 150mm	FEADLR
Vinyl 400mm x 150mm	FEADLV
Photoluminescent 400mm x 150mm	FEADLP

## Fire Action Notice



Description	Code
Rigid 150mm x 200mm	FAN1R
Vinyl 150mm x 200mm	FAN1V
Photoluminescent 150mm x 200mm	FAN1P

## Fire Action Notice



Description	Code
Rigid 150mm x 200mm	FAN2R
Vinyl 150mm x 200mm	FAN2V
Photoluminescent 150mm x 200mm	FAN2P

## Fire Action Notice



Description	Code
Rigid 150mm x 200mm	FAN4R
Vinyl 150mm x 200mm	FAN4V
Photoluminescent 150mm x 200mm	FAN4P

## Fire Action Notice



Description	Code
Rigid 150mm x 200mm	FAN3R
Vinyl 150mm x 200mm	FAN3V
Photoluminescent 150mm x 200mm	FAN3P

## Fire Action Notice



Description	Code
Rigid 150mm x 200mm	FAN5R
Vinyl 150mm x 200mm	FAN5V
Photoluminescent 150mm x 200mm	FAN5P

## Fire Door Keep Shut



Description	Code
Rigid 100mm x 100mm	FDKSR
Vinyl 100mm x 100mm	FDKSV
Photoluminescent 100mm x 100mm	FDKSP

## 3/6L Water Mist ID Sign



Description	Code
Rigid 100mm x 150mm	36WMLR
Vinyl 100mm x 150mm	36WMLV
Photoluminescent 100mm x 150mm	36WMLP

## 3/6L Water Mist ID Sign



Description	Code
Rigid 80mm x 200mm	36WMPR
Vinyl 80mm x 200mm	36WMPV
Photoluminescent 80mm x 200mm	36WMPP

## 1L Water Mist ID Sign



Description	Code
Rigid 100mm x 150mm	1WMLR
Vinyl 100mm x 150mm	1WMLV
Photoluminescent 100mm x 150mm	1WMLP

## 1L Water Mist ID Sign



Description	Code
Rigid 80mm x 200mm	1WMPR
Vinyl 80mm x 200mm	1WMPV
Photoluminescent 80mm x 200mm	1WMPP

## Water ID Sign



Description	Code
Rigid 100mm x 150mm	WLR
Vinyl 100mm x 150mm	WLV
Photoluminescent 100mm x 150mm	WLP
Brushed Aluminium 100mm x 150mm	WLBA

## Water ID Sign



Description	Code
Rigid 100mm x 150mm	WPR
Vinyl 100mm x 150mm	WPV
Photoluminescent 100mm x 150mm	WPP
Brushed Aluminium 100mm x 150mm	WPBA

## Foam ID Sign



Description	Code
Rigid 100mm x 150mm	FLR
Vinyl 100mm x 150mm	FLV
Photoluminescent 100mm x 150mm	FLP
Brushed Aluminium 100mm x 150mm	FLBA

## Foam ID Sign



Description	Code
Rigid 80mm x 200mm	FPR
Vinyl 80mm x 200mm	FPV
Photoluminescent 80mm x 200mm	FPP
Brushed Aluminium 80mm x 200mm	FPBA

## CO<sub>2</sub> ID Sign



Description	Code
Rigid 100mm x 150mm	CDLR
Vinyl 100mm x 150mm	CDLV
Photoluminescent 100mm x 150mm	CDLP
Brushed Aluminium 100mm x 150mm	CDLBA

## CO<sub>2</sub> ID Sign



Description	Code
Rigid	CDPR
Vinyl	CDPV
Photoluminescent	CDPP
Brushed Aluminium	CDPBA

## Powder ID Sign



Description	Code
Rigid 100mm x 150mm	PLR
Vinyl 100mm x 150mm	PLV
Photoluminescent 100mm x 150mm	PLP
Brushed Aluminium 100mm x 150mm	PLBA

## Powder ID Sign



Description	Code
Rigid	PPR
Vinyl	PPV
Photoluminescent	PPP
Brushed Aluminium	PPBA

## Wet Chemical ID Sign



Description	Code
Rigid 100mm x 150mm	WCLR
Vinyl 100mm x 150mm	WCLV
Photoluminescent 100mm x 150mm	WCLP

## Wet Chemical ID Sign



Description	Code
Rigid	WCPR
Vinyl	WCPV
Photoluminescent	WCPP

## Call Point Sign



Description	Code
Rigid 100mm x 100mm	CPR
Vinyl 100mm x 100mm	CPV

## Extinguisher Point Sign



Description	Code
Rigid 100mm x 100mm	EPSR
Vinyl 100mm x 100mm	EPSV

## Fire Point Sign



Description	Code
Rigid 200mm x 300mm	FPSR
Vinyl 200mm x 300mm	FPSV

## In Case Of Fire Sign



Description	Code
Rigid 150mm x 150mm	ICFR
Vinyl 150mm x 150mm	ICFV

## Assembly Point Sign



Description	Code
Rigid 600mm x 400mm	FAPR

## Keep Clear Sign



Description	Code
Rigid 400mm x 150mm	FEKCR
Vinyl 400mm x 150mm	FEKCV
Photoluminescent 400mm x 150mm	FEKCP

## Turn To Open Sign



Anti-Clockwise

Description	Code
Rigid 100mm x 100mm	TTOAR
Vinyl 100mm x 100mm	TTOAV

## Turn To Open Sign



Clockwise

Description	Code
Rigid 100mm x 100mm	TTOCR
Vinyl 100mm x 100mm	TTOCV

## Push To Open Sign



Description	Code
Rigid 300mm x 100mm	PTOR
Vinyl 300mm x 100mm	PTOV

## Push Bar To Open Sign



Description	Code
Rigid 600mm x 100mm	PBTOR
Vinyl 600mm x 100mm	PBTOV





# Index

---

<b>A</b>		<b>F</b>	
ABC Powder	57	Filling Adapters	52
Accident Report Book	58	Fire Blankets	34
Aqua Spray (Hydro-Spray/Water Additive)	23	Fire Bucket	42
<b>B</b>		Fire Extinguisher Covers	42
Bases	34	Fire Logbook	45
<b>C</b>		First Aid Kits	58
CO <sub>2</sub> Discharge Horns	53	Foam	24
CO <sub>2</sub> Hose & Horn	53	Foam Refills	56
CO <sub>2</sub> Lug Brackets	41	(NB. Previously Jewel Saffire Foam)	
CO <sub>2</sub> T Brackets	40	Freezol	56
Carbon Dioxide (CO <sub>2</sub> )	18	<b>G</b>	
CO <sub>2</sub> Refurbs	21	Gauge Dots	45
Contractor Stands	35	Gauges	48
<b>D</b>		GRP Stands	35
D-Class Powder Lance	54	<b>H</b>	
Digital Scale	51	High Performance Foam Refill	55
Dip Tubes	54	Hose Assemblies	53
<b>E</b>		How the E-Series outperforms the alternatives	17
E-Series Water Mist	16	HSE Law Poster	58
E-Series Water Mist Refills	55	<b>K</b>	
Evacuator Site Master Break Glass	33	Key Box	42
Evacuator Site Master Push Button	33	<b>M</b>	
Extinguisher Cabinets	39	Maintenance Labels	50
Extinguisher Trolleys	39	Mounting Backboards	38

# Index

---

## N

Nitrogen Regulator & Hose 52

## O

O-Rings 48

## P

Panic Bolt 42

Pin End Caps 43

Polished Aluminium CO<sub>2</sub> 19

Powder 25

Premium CO<sub>2</sub> Refurbs 20

Pressure Gauge Tester 52

Pressurising Bar 50

## R

Rigid Plastic Stands 36

Rotary Hand Bell 34

Rotationally Moulded Stands 36

## S

Safety Pins 44

Service Spanner 49

Signs 59-64

Specialist Powder 26

Specialist Powder Refills 57

Spring Balances 51

Stainless Steel Foam 29

Stainless Steel Water 28

Synergy-RF Base Station 32

Synergy-RF Call Point 32

## T

Tamper Seals 43

Transport Brackets 40

Tubular Steel Stands 37

## V

Valve Head Caps 48

V-Clamp 49

## W

Water 22

Water Additive Refills 55

Wet Chemical 27

Wet Chemical Hose 54

Wet Chemical Refills 56

**How to find us:**

Units A1-A3 Aldwarke Business Park  
Waddington Way, Rotherham, South Yorkshire S65 3SH

t: 01709 703223

e: [sales@jewelfiregroup.com](mailto:sales@jewelfiregroup.com)

[jewelfiregroup.com](http://jewelfiregroup.com)

